

1/12

FIG. 1





FIG. 2



2 / 1 2





FIG. 4



REQUESTOR DATA	INFORMATION ABOUT REQUESTING CLIENT, SUCH AS IP ADDRESS AND HOST NAME
PRINTING CONDITIONS	COLOR, DUPLEX, PAGE LAYOUT, PAPER ORIENTATION, etc.
PRINT DATA	DATA ACTUALLY PRINTED

FIG. 5

<PRINT>
410 ~~~~~<CLIENT>192.168.0.1</CLIENT>~~~~~ 412
414 ~~~~~<TERM>COLOR/BOTH/2DIVISION</TERM>~~~~~ 416
418 ~~~~~<DATA>aaaaaaaaabbbbbbbccccccccc</DATA>~~~~~ 420
 </PRINT>

4/12

FIG. 6






FIG. 7



5/12

FIG. 8



6/12

FIG. 9





FIG. 10



7/12

FIG. 11





FIG. 12




8/12

FIG. 13


```
<PRINT>
410 ~~~~~<CLIENT>192.168.0.1</CLIENT>~~~~~412
422 ~~~~~<TERM>COLOR/BOTH/2DIVISION/163.141.100.44:job23</TERM>~~~~~424
418 ~~~~~<DATA>aaaaaaaabbbbbbbccccccccc</DATA>~~~~~420
</PRINT>
```

FIG. 14



9/12

FIG. 15



Title: OUTPUT DEVICE SELECTION SYSTEM, PRINTER SELECTION SYSTEM, OUTPUT
DEVICE, PROGRAM FOR OUTPUT DEVICE, AND OUTPUT DEVICE SELECTION METHOD

Inventors: Naruhide KITADA, Hozumi MORI, Mikio AOKI, Taro ISHIGE

Atty. Ref.: 9319S-000622

10/12

FIG. 16


430 ~~~~~<PRINT>

434 ~~~~~<JOB>163.141.100.44:job23</JOB>~~~~~436

432 ~~~~~</PRINT>

11/12

FIG. 17



12/12

FIG. 18

